



CALCULATOR & PRESENTER COLLECTIONS

Intelligently designed solutions for home, office & education



 $0 \cap$

Categories Index



Design & Sustainability

With integration of stylish design, simplicity and functionality, Canon creates a wide range of calculators to meet user needs and make easy calculations.


Handheld Printing Pages 13-14




Customization	P.20 - 21
Calculator Functionality	P.22
Calculator Specifications	P.23 - 25
Function Highlights	P.26 - 27
Glossary of Functions	P.28 - 29
Accessories and Consumables	P.30
Package Explanation	P.30
Symbol Guide	P.31

K, representing chroma,

is Canon's latest series that emphasises colour and lifestyle.





Package Type (for POS): Hangable Window Box (HWB)

Double Card Blister (DBL)



POS version





Smart Choice & Essential Partner for Students







Qualification Authority

Double Card Blister (DBL)

friendly of Canon products F-717SGA Dual-Way Textbook Display

Eco <>>> 20% made from recycled materials

Size: 171 x 86 x 18.75mm (body with case) / 168 x 80 x 14.5mm (body only) / Weight: 131g (with case) / 95.59g (body only) Features • 242 functions

Random integer generator

• Fractions and Trigonometry calculation Statistical and Regression - using table

input method Dual-power with low battery indicator


BLUE BLACK RED F-717SGA-BL F-717SGA-BK F-717SGA-R $[242]_{\text{Functions}} \approx \frac{\pi}{12} [12]_{\text{CASE}} \Leftrightarrow \textcircled{} \textcircled{} \textcircled{} \textcircled{}$

*Antimicrobial efficacy is certified by Society of Industrial-technology for Antimicrobial Articles (SIAA) ISO 22196 (JIS Z2801)


Easy-to-read display format

Input & output display format can be chosen from set-up menu MthIO mode = Mathematics textbook

written in a textbook.)



Input & display mode (MthIO mode allows mathematical symbols, fractions and formulas to be displayed on screen, in exactly the same way as they are



LineIO mode = Traditional 2 "line Input & Output Display mode



Convenient slot to slide in a photo, picture or class timetable



Detailed Specification

242
7
✓
Up to 18
24
✓
✓
✓
✓
✓
✓
\checkmark
✓
\checkmark
✓
✓

Use this emulator program to project real-time calculations onto large displays. A powerful tool for teachers.

Replay	
Last Digit Correction	\checkmark
Last Answer Recall	\checkmark
Multiple Replay	\checkmark
Statistics	
1- / 2- Variable	2
Mean, Standard Deviation, Sum of Value	\checkmark
Maximum Value, Minimum Value	\checkmark
Linear Regression	\checkmark
Quadratic Regression, Exponential Regression	✓
Logarithmic Regression, Power Regression, Inverse Regression	✓
ab Exponential Regression	\checkmark
Correlation Coefficient	\checkmark
Regression Analysis	✓
Product Specification	
Display	
Display Line	4 lines Dot Matrix 31 x 96 dots
LCD Contrast Selection	\checkmark
Low Battery Indicator	\checkmark
Power	
Power Source	Solar & Battery
Battery	CR2032 x 1
Auto-Power Off	\checkmark
Specifications are subject	to change without notice.

Specifications are subject to change without notice.














LS-82Z 8-digit Mini Desktop Size: 111 x 88 x 32mm / Weight: 64g Features • Large upright display • Portable and compact size



Heavy Duty Desktop Calculator Ideal for Professionals








Double Injection Keys

Take the number "8" as an example:




Double injection keys are produced by injections on both key bodies and numbers that key color would not fare off and resulting high durability.





IT Touch Keyboard

IT-Touch keyboard design without pit between the keytops. Easy entry for quick and accurate calculations.



10

Affordable and Practical



Arc Series is distinctively designed with a unique arc shape, featuring sleek, large LCD angled display. The upward curve throughout the calculator adds style to its impressive performance. With pursuit of Green concept, some parts are manufactured from recycled Canon product materials to avoid unnecessary energy waste.

The entire series caters to users in different sectors from budget- conscious type to professional financiers, and makes calculation easily with Canon.

Compact & Convenient for **Business & General Use!**















LS-270V II 8-digit Handheld

Size: 102 x 61 x 10mm / Weight: 37g

Memory function

Extra large display

Durable plastic keytops

Features + Mark up calculati

8digits 🎦 MU 🔅 ☆





Perfect Tool for **Account Professionals** and General Purposes



Perfect Tool for **Account Professionals** and General Purposes





Canola Key Layout

Smooth operation is made with concave designed keys.

The keys on and of the front row are rounded and the back row are concave; the second row of a shas "medium" concavity, the third row of a shas "deep" concavity as a center position, and the forth row of a has "medium" concavity.

All these different concavities by rows are determined by study of natural finger movement and by the relation between the angle of the keyboard and finger movement.



best of the best 2013

reddot Design Award: best of the best 2013

Reddot design award breaks down into three disciplines: product design, communication design and design concept. It serves as a platform for design-relevant innovations. Since 1955, it has been recognized as an international label and quality seal. The award is given to X Mark II in 2013 for its outstanding product design achievement. The degree of innovation, quality, ecology and symbolic content excels other products in their respective categories.

Lighter! Ultra Slim Design New Generation of X Series





reddot design award best of the best 2013



G٦

6

З

Q Feature Highlight

. Sophisticated image with ser-engraved aluminium base

Internal angled display for mfort reading

3. Thin light-weighted body and matt finish upper case design


CANON RECYCLED MATERIAL CALCULATORS

Supports sustainability and helps to preserve finite natural resources.




Friendly The icon indicates that the product is partially manufactured using recycled Canon material.

(Canon cares for the environment. All Canon calculators, including our green series are lead free which is environmental friendly.)













• Extra large adjustable tilt display • Decimal (+43210F) and rounding selection • Executive finish - metallic top coating





GREEN SERIES



Package Type: Clam Pack (CP)	PB100-B
	Double Red Laser Presenter with Timer & Well-organized Keys
	 Size: 136 x 33 x 26mm Weight: 43g (without batteries) / 66g (with batteries) Features • Double Red Laser - 2X more visible than normal red laser*1 for brightness and easy to see Slideshow Controls allows moving between slides Timer and vibration alert setting enable managing time during presentations Backlit LCD improves presentation flexibility in low light environments Handy and Ergonomic design allow intuitive control of well planned buttons without looking Long wireless range of 15 metres*² Plug and connect instantly without any setup Compatible with Mac OS X and Windows[®] Pouch Case included
	Available in: PR100-R-BK PR100-R-WH
2) MORE VI RED LA	

Supported OS

Windows[®] 10 / 8.1 / 8 / 7 / Vista (SP2 or above)

Mac OS X 10.11 - 10.5*3

Compatible Software

 $\mathsf{Microsoft}^{\texttt{®}}$ Office PowerPoint 2013 , 2010, 2007 and 2003

Adobe Reader 11 / 10 for Windows

PowerPoint for Mac 2011

Mac Keynote version 6.5*3

Mac Preview version 8.0 to 4.2

*1 Compare with red laser of 650nm wavelength and 1mW power
 *2 Wireless range might be affected by the environment
 *3 PR1000-R does not support Start / End Slide and Black Screen functions on Keynote

Precious Moments

A calculator could be a memorable gift recording your different stages of life with special messages. A theme could also be printed on the upper case or lower case.

Canon Flip-bo ith sticke מו מכמי מכריב מו מכמי מכריב 1 GT (√) (→) TAX+ TAX-%± RH ME ME ÷ 7 8 9 ÷ 4 5 6 CA 1 2 3 00 0 An example of LS-123T (Blue) customization

Product images Promotion

Long lasting laser engraving can be applied on the aluminium casing with graphic patterns or even photo images.

Corporate Business

By including company logos, symbols or even signature, our calculators will become unique corporate gifts, which help raise brand popularity.

standard matt lamination coating gift box

236599

Judie Businetti moora Limites

Customization Options for Canon Calculators

With customized printing and patterns, calculators could be a delicate gift for special events, promotion and precious moments in life. Various package design options make the calculator a perfect sales promotional tool for raising brand awareness and product popularity.



DISPLAY SCREEN

Canon

 Graphic or pattern can be silk printed on the display screen area.
 Customized logo / panel can be placed on the selected space.

KEYTOP Customized by changing the colour and key printing with logo, icon or words.

LASER ENGRAVING 1. Only applicable for calculator models with aluminium lower case. 2. All laser engraved images or words would appear in white or grey colour (the colour contrast depends on the engraving duration), on the aluminium lower case.

LOWER CASE Customized by changing the lower case colour.

[₩] (2345671890 12								
	-			Can	om			
	82	COST	SEL	MARCIN	01			
		8	M±	Ma	+			
	\sim	7	8	9	×			
-	%±	4	5	6	-			
	÷	1	2	3	+			
	문	0	00		=			
	X series							

An example of X Ma

Canon F 234556785912 GT C - CONTROLE

An example of AS-120V (purple) customization

Event Celebration

Event logo can be printed on the product, making it an ideal souvenir for celebrating events such as company anniversary and corporate events.



UPPER CASE

KEYTOP

lower case.

case colour.

 Graphic or pattern can be silk printed on the upper case.
 Customer logos or wordings can be placed on the selected space.

Customized by changing the colour and key printing with logo, icon or words.

SILK PRINTING 1. Applicable for calculator models with normal plastic

2. Graphics, icons or words can be printed with selected Pantone colours.



LOWER CASE -

Customized by changing the lower

Calculator Functionality

			Tax Calculation	Business Calculation	EURO/Currency Conversion	Replay Calculation	Clock and Calendar	Recycled Content	Anti-bacterial	Independent Memory
K Series	LS-	123K	•					•		1
Scientific K Series	F-7	17SGA				•		•	•	19
	ŝ	LS-100TS	•	•						1
	Office & Business	HS-1200TS	•	•						1
	& Bu	LS-121TS	•	•						1
	Office	TX-220TS	•	•						1
		WS-220TC	•		•					1
	nomic	LS-120V II								1
Desktop	& Eco	LS-88V II								1
Ō	Basic	LS-82Z								1
	Heavy Duty Basic & Economic	BS-1200TS	•	•						1
		WS-1210HI III	•							1
	Arc Series	AS-220RTS	•	•		•				1



TAX CALCULATION

Models featuring convenient tax calculation keys save you time by simplifying complex calculations. Just press the relevant key to add or subtract predetermined tax rates at a touch.

BUSINESS CALCULATION

Perform complex calculations quickly and easily with our Business calculators and save time. Cost, Sell and Margin functions allow you to calculate profit margins automatically, without the need for complicated formulae.

Eco. friendly

RECYCLED MATERIAL Calculators that are partially made from recycled Canon materials. Canon has long been making great efforts in reduce the environmental impact of its products.

CLOCK AND CALENDER Built-in clock and calendar allows users to keep track of the time and date on the display. The calculator also has the function of printing out time and date.

	Tax Calculation	Business Calculation	EURO/Currency Conversion	Replay Calculation	Clock and Calendar	Recycled Content	Anti-bacterial	Independent Memory
LC-210L								1
LS-270V II								1
LS-330H								1
LS-390H								1
LS-153TS	•	•						1
LS-QT								1
P1-DTSC	•	•	•					1
P23-DTSC	•	•	•		•			1
P29-DIV			•					1
X Mark II		•						1
MP121-MG	•	•	•		•	•		1
HS-20TG	•					•		1
LS-63TG	•					•		1
TS-1200TG	•					•		1

EURO/ CURRENCY CONVERSION Our calculators with currency conversion enable you to



Printing

Sec. \times

Ser Green

> REPLAY/ CHECK & CORRECT CALCULATION Our calculators with a replay function bring added ac-curacy and precision to long and complex calculations. Auto check function up to 120 steps check and correct and make any corrections that are required instantly. Thus eliminating the risk of calculation errors.

make quick conversions between currencies at the push

models of printing and non-printing calculators for added

of a button. This handy function is available on selected


ANTI-BACTERIAL


convenience.



Canon's anti-bacterial calculator helps eliminate any potential hygiene problems, as it has an approved inorganic antimicrobial agent* applied to the plastic upper case and key tops. This inhibits or reduces the growth of bacteria - making the calculator ideal for use in open plan offices, schools, cafeteria, hospitals and all other public places.

*Antimicrobial efficacy is certified by Society of Industrial-technology for Antimicrobial Articles (SIAA) ISO 22196 (JIS Z2801)





Specifications are subject to change without notice.

Calculator Specifications

	K Series	Desktop - Offic	e & Business			
			12942/995 20 00000000000000000000000000000000000	·876/1822	F2MG/8852	-
	LS-123K	LS-100TS	HS-1200TS	LS-121TS	TX-220TS	WS-220TC
Туре	Premium Display Calculator	Mini Desktop	Desktop	Desktop	Desktop	Desktop
Digits	12	10	12	12	12	12
Power Source	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power
Battery	LR44	LR44	LR44	CR2032	LR44	LR44
Preset Decimal	_	_	+43210F	_	+420F	+43210F
Tax Calculation	•	•	•	•	•	•
Business Calculation	-	•	•	•	•	_
Currency Conversion	_	_	_	_	-	•
Memory	1	1	1	1	1	1
GT	•	_	•	•	•	_
%±	•	•	•	•	•	•
	•	•	•	•	•	•
Ð	•	•	•	•	•	•
\rightarrow	•	•	•	•	•	•
Rounding	_	_	€_ 5/4 €	_	€_ 5/4 €	€_ 5/4
00/000	00	_	00	00	00	_
Recycled Content	•	-	-	_	_	_
Special Features	Slim body design with trendy colours	Metallic silver body	Metallic silver body	Metallic silver body	Extra large adjustable display	Wide keyboard
				Spe	ecifications are subject to	change without notion

	Basic & Econor	nic		Heavy Duty		Arc Series
	LS-120V II	LS-88V II	LS-82Z	BS-1200TS	WS-1210HI III	AS-220RTS
Туре	Mini Desktop	Mini Desktop	Mini Desktop	Desktop	Desktop	Desktop
Digits	12	8	8	12	12	12
Power Source	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power
Battery	CR2032	LR1130	LR1130	CR2032	LR44	LR44
Preset Decimal	320AF	—	—	+43210F	+4320F	—
Tax Calculation	—	—	—	•	•	•
Business Calculation	—	_	—	•	—	•
Memory	1	1	1	1	1	1
GT	•	-	_	•	•	—
MU	—	—	_	_	•	—
RV	—	—	_	—	•	—
%±	•	•	•	•	•	•
	•	•	•	•	•	—
Ð	•	•	_	•	•	•
\rightarrow	•	—	_	•	•	•
Rounding	5/4	_	_	€_5/4	€_5/4	_
00/000	00	_	_	00	00	00
Special Features	Extra large display	Portable compact size	_	Durable double injection keys	IT touch keys; Adjustable display	120 steps check and correct function

Specifications are subject to change without notice.

Calculator Specifications

Handheld

	LC-210L	LS-270V II	LS-330H	LS-390H	LS-153TS	LS-QT
Туре	Handheld	Handheld	Handheld	Handheld	Handheld	Handheld
Digits	8	8	8	8	10	8
Power Source	Battery	Dual power	Dual power	Dual power	Dual power	Dual power
Battery	LR1130	LR1130	CR2032	LR1130	LR1130	CR2016
Tax Calculation	_	_	—	_	•	_
Business Calculation	_	_	—	—	•	_
Memory	1	1	1	1	1	1
%±	•	•	•	•	•	•
	•	•	•	•	•	_
Ct.	—	•	•	•	•	—
\rightarrow	_	—	—	—	•	_
Wallet Case / Hard Cover	Hard cover	_	—	Hard cover	Wallet case	_
Special Features	360 degree cover	Mark up functions	Mark up functions	Ergonomic design	Metallica silver body	Ergonomic design

Specifications are subject to change without notice.

	Printing			
	P1-DTSC	P23-DTSC	P29-DIV	MP121-MG
Power Source	AC/DC	AC/DC	AC	AC
Back-up Battery	CR2032 x 1	CR2032 x 1	CR2032 x 1	CR2032 x 1
Printing Type	Ink roller	Ink roller	Ink ribbon	Ink roller
Printing Speed (lines/sec)	2	2.3	3.6	2.3
Printing Colour	1	2.0	2	2.5
Preset Decimal	+0234F	+023F	+0123F	+43210F
Tax Calculation	+02.041	•		+452 TOT
Business Calculation	•	•	_	•
Currency Conversion	•	•	•	•
Clock & Calendar	-	•	_	•
Cash Change Function	-	_	_	_
GT	-	_	By accumulated key	•
Item Count	-	•	•	•
%±	•	•	•	•
*	-	•	•	•
#/◊	#	•	•	•
C- €	•	•	_	_
\rightarrow	-	•	-	•
Rounding	5/4 🗸	€_5/4 €	5/4 🗸	€_ 5/4 €
00/000	-	00	00	0/00/000
Ink Cartridge	CP-16 II	CP-13 II	EP102	CP-13 II
Roll Paper	57 x 57mm	57 x 57mm	57 x 57mm	57 x 57mm
Special Features	Low battery indicator	Low battery indicator	Delta percent calculation	Made from recycle material

Specifications are subject to change without notice.

Calculator Specifications

	X Series	Green Series
	B ANNER!	
	X Mark II	MP121-MG ¹
Туре	Premium Display Calculator	AC Printing Calculator
Digits	12	12
Power Source	Solar only	AC
Battery	—	CR2032 (back up)
Preset Decimal	—	+01234F
Tax Calculation	—	•
Business Calculation	•	•
Currency Conversion	—	•
Memory	1	1
GT	•	•
%±	•	•
	•	—
Ct-2	•	—
\rightarrow	•	•
Rounding	_	€ 5/4 €
00/000	00	00/000
Recycled Content	•	•
Special Features	Laser engraved keys	Clock and calendar
1 Disease also refer to Drighter O	1 1 1 1 1 1 1	

¹ Please also refer to Printing Calculator for details.

	Presenter		
	PR10-G	PB100-B	PR1000-R
Laser Color	Green	Double Red	Red
Wireless Range	30 metres	15 metres	15 metres
Timer Function	•	•	—
Vibration Function	•	•	—
Vibration ON/OFF	•	•	_
Start / End Slide	•	•	•
Page Up/Down	•	•	•
Black Screen	•	•	_
Volume Control	—	_	•
Auto Backlight Off	•	•	—
Low Battery Indicator	•	•	_
Accessories	Pouch case, USB dongle	Pouch case, USB dongle	USB dongle
Power Source	AAA battery x 2	AAA battery x 2	AAA battery x 1
Radio Frequency	2.4GHz	2.4GHz	2.4GHz
Supported OS	Windows [®] 10 / 8.1 / 8 / 7 / Vista (SP2 or above), Mac OS X 10.11 - 10.5*1		
Compatible Software	Microsoft [®] Office PowerPoint 2013, 2010, 2007 and 2003, Adobe Reader 11 / 10 for Windows, PowerPoint for Mac 2011, Mac Keynote version 6.5*1, Mac Preview version 8.0 to 4.2		

*1 PR1000-R does not support Start / End Slide and Black Screen functions on Keynote

HS-20TG	LS-63TG	TS-1200TG
Desktop	Handheld	Desktop
12	8	12
Dual power	Dual power	Dual power
CR2032	CR2016	CR2032
_	—	+43210F
•	•	•
_	_	_
_	_	_
1	1	1
•	—	•
•	•	•
•	•	•
•	•	•
•	—	•
•	_	5/4 🗸
00	—	00
•	•	•
Upper case with cosmetic metal plate	Extra large display	Adjustable display

Specifications are subject to change without notice.

Function Highlights



• TAX CALCULATION

Storing Tax Rate			
Rate: 5%			
Operation	Display		
5 RATE	(TAX	5.)	

Recall Tax Rate

Operation	Display	1
RATE	(^{TAX} 5.)	,

E.g. Price \$2000 without tax				
Calculation Operation Display				
Selling price with tax= ?	2000 Tax +	(TAX+	2'100.)	
Tax= ?	TAX +	(TAX	100.)	

E.g. Price \$3150 with tax				
Calculation	Operation	Display		
Price without tax= ?	3150 тах -	(TAX-	3'000.)	
Tax= ?	TAX -	(^{TAX}	150.)	

GRAND TOTAL

Example				
Calculation		Operation	Display	
	30 x 40	30 🗙 40 🚍	(^{GT}	1'200.)
+)	50 x 60	50 🗙 60 🚍	(^{GT}	3'000.)
	4200	GT	(^{GT}	4'200.)
+)	25 x 30	25 🗙 30 🚍	(^{GT}	750.)
	4950	GT (Recalling memory)	(^{GT}	4'950.)
		GT (Clearing memory)	(4'950.)

REVERSE FUNCTION

E.g. "5 \div 10" change to "10 \div 5".	
Operation	Display
5 🕂 10 RV 🚍	(2.)

* WS-1210Hi III as an example.

MEMORY KEYS

Example				
Calculation		Operation	Display	
	3 x 4	3 🗙 4 M±	(^M	12.)
-)	6 ÷ 0.2	6 🕂 🖸 2 ME	(^M	30.)
	-18	(RM) CM	(^M	-18.)
+)	200	200 M±	(^M	200.)
	182	(Recalling memory)	(^M	182.)
		(Clearing memory)	(182.)

MARK-UP FUNCTION

E.g. Cost \$2000, Profit= 20% of selling price			
Selling price=?			
Operation	Display		
2000 🕂 20 MU (2'500.)			
Profit=?			
Operation	Display		
MU	(500.		

Storing Currency Rate		
🗐 = 1.2809 (US\$) and 🛙	uro = 1 (Euro)	
Operation	Display	
CA	í,	(1.
1.2809	(6	1.2809

Recall Currency Rate		
Operation	Display	
CA EURO	(1.2809)

Converting Currency			
Calculation	Operation	Display	
Euro 78 = US ?	78 EURO	()	99.91)
Calculation	Operation	Display	
US\$ 48 = Euro ?	48	(^{EURO}	37.47)

BUSINESS CALCULATION


Example	s		
Cost	Sell	Margin	Calculation
?	\$2000	30%	ONICA 2000 SELL 30 MARCIN - 1400
\$1500	?	20%	ONICA 1500 COST 20 MARGIN - 1875
\$1500	\$2000	?	ONICA 1500 COST 2000 SELL - 25

CHECK-AND-CORRECT FUNCTION

E.g. Correct "+300" to "-200".				
(500+300-60) x 5				
Operation	Display			
500 + 300 - 60 × 5 =	(05	=3'700.)		
Press 2 times	(^{02 CHECK}	+300.)		
Correct to "-200"				
Operation	Display			
CORRECT	(^{02 CORRECT}	+300.)		
- 200 CORRECT	(^{02 CHECK}	-200.)		
(500-200-60) × 5				
Operation	Display			
Press 💽 3 times	(^{05 CHECK}	⁼ 1'200.)		



* WS-220TC as an example.



* AS-220RTS as an example.

Glossary of **Functions**

ALGEBRAIC OPERATING SYSTEM

Algebraic expressions can be entered just as they are written. A predetermined priority level exists which first calculates high priority then low priority operators e.g.: Multiplication and division completed prior to addition and subtraction i.e.: $4 + 6 \times 4 = 28$

ADDING MACHINE OPERATING SYSTEM

Also described as Business Machine Logic. Numbers entered need to be denoted whether they are positive (debits) or negative (credits). In general it is used with the printing calculators.

OPERATION KEY SWITCHES/ BUTTONS



Fixed

Results are calculated to a pre-selected number of decimal places e.g. 2, 3 or 4 etc in accordance with the rounding switch.

Floating (F)

Results are displayed and printed with no limit on decimal places except the capacity of the display.

Add Mode (+)

Decimal point placed before last two digits on display and printout. No decimal point entry is needed, therefore suitable for currency cash calculations.

Rounding Selection

Round Off (5/4)

Result of multiplication and division rounded to a whole number e.g. 2.4 = 2 and 2.5 = 3

Round Down (5/4→) Rounds the last digit down if less than 5 e.g. 2.6=2

Round Up (15/4)

Rounds the last digit up if 5 or greater e.g. 2.2 = 3

Item Count

Item (OFF / n+ / n+/-)

Each addition and subtraction entry is counted and printed on the left side of the paper roll.

Accumulation

AM

Entries or results automatically accumulated in the first memory.

Constant

Performs multiplication and division calculations by a manual constant.

FUNCTION KEY BUTTONS

BUSINESS CALCULATION



Performs cost, selling price and profit margin calculation. Enter to obtain the balance value item.

TAX CALCULATION



Adds or subtracts the predetermined sales tax rate (%) to/ from the calculation.

RATE

Set switch to "RATE" for setting or recalling the TAX rate.

CURRENCY CONVERSION CALCULATION



Perform currency conversion if the corresponding rate is registered.

REPLAY / CHECK & CORRECT CALCULATION



Reviews the steps of the calculation



Replay key allows for reviewing the previous or next calculation step.



Correct key allows for correcting calculation contents in the Replay mode.

AUTO CHECK

Automatically scrolls through the calculation step from beginning to end.

BASIC FUNCTION KEYS



Performs standard percentages along with add on or discount calculations.

Mark up-selling price calculated based on the cost price and profit margin percentage. Mark down-cost price calculated from the selling price and profit (loss) margin percentage.

RV

Reverse key automatically swaps the operator and operand of calculation e.g. "8 \div 4" change to "4 \div 8".

GT

When the calculations are performed with the GT switch set to "ON", the totals are accumulated in the grand total memory.



Used for changing the sign (+ or -) of the displayed numbers.

CANCEL KEYS



Clear indication key cancels the displayed numbers and corrects an entry as a whole.



Clear entry key cancels an incorrect entry.



Clear key cancels an incorrect entry or command and exercise must be restarted.



Shift key moves displayed numbers to the right thereby deleting numbers each time the key is pressed.

INDEPENDENT MEMORY KEYS

Accumulating / Storing in memory



A. Results of multiplication and division automatically added to the memory. Also adds a number to the memory.

M- / M=

B. Results of multiplication and division automatically subtracted from the memory. Also subtracts a number from the memory.

DOUBLE MEMORY KEYS

Accumlating / Storing in memory I/ II





Recalling / Clearing memory.



Recalling the contents of the memory.

M*//CM

Clearing the contents of the memory (for non-printing models).

28







PRINTING CALCULATOR KEYS

CHANGE

Used for calculating the change amount, it performs accurate and fast cash change calculation.

#

Non add key allows the printing of dates, reference numbers etc. to be printed on left side of the paper roll without affecting the calculation.

\Diamond

Sub total key allows intermediate result of a calculation to be printed on the left side of paper roll.



This is the key for specifying the number of digits after the decimal point of the calculation result.

FEED / FEED or 1

Paper feed. Used for inserting the paper.

TEST

The printing quality can be checked by pressing "TEST" key.

Used to switch between calendar or clock mode.

PRESENTER KEYS



Hold to point out the red/green laser beam.



Start or end a presentation.



Perform the next animation or advance to the next slide.



Perform the previous animation or return to the previous slide.

Display a blank black slide, or return to the presentation from a blank black slide.

Accessories and Consumables

Battery and Adapter		
LR1130	LS-82Z, LS-153TS, LS-88V II, LS-270V II, LC-210L, LS-390H, LS-153TS	
LR44	LS-123K, WS-1210Hi III, LS-100TS, AS-220RTS, WS-220TC, HS-1200TS	
CR2016	LS-63TG, LS-QT	
CR2032	HS-20TG, TS-1200TG, BS-1200TS, TX-220TS, LS- 121TS, LS-120V II, LS-330H	
CR2032 x 1 (back-up)	MP121-MG, P1-DTSC, P23-DTSC, P29-DIV	
AA x 4	P1-DTSC, P23-DTSC	
AD-35 II Adapter	P1-DTSC, P23-DTSC	
AAA x 2	PR10-G, PR100-R	
AAA x 1	PR1000-R	

Ink Ribbon /	Roller /	Cassette

 CP-13 II
 MP121-MG, P23-DTSC

 CP-16 II
 P1-DTSC

 M-310/ EP-102
 P29-DIV

Roll Paper


57 x 57mm MP121-MG, P1-DTSC, P23-DTSC, P29-DIV

Symbol Guide

Special icons for X Series	Alumir
Special icons for printing type	2 colour printing
Special icons for Presenter	Up to 15M effective up range up Volume controls
Icons for general type	
	8 -digits 8-digit calculatio capacity
	TAX
	Tax calculation calculation sell,
	Check & correct function
	Display T
	Large display Te
	Internal angle disp
	Power Sol
	Dual power

Package Explanation





Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. Specifications are subject to change without notice. TM and [®]: All company and/ or product names are trademarks and/ or registered trademarks of their respective manufacturers in their markets and/ or countries.

CANON ELECTRONIC BUSINESS MACHINES (H.K.) CO., LTD.

17/F., Tower One, Ever Gain Plaza, 82-100 Container Port Road, Kwai Chung, New Territories, Hong Kong Website: www.canon-ebm.com.hk

Canon Australia Pty. Ltd. Building A, The Park Estate, 5 Talavera Road, Macquarie Park, NSW 2113, Australia Tel: 13 13 83 Website: www.canon.com.au

Canon New Zealand. Ltd.

Akoranga Business Park, 28 The Warehouse Way, Northcote, Auckland 0627, New Zealand Tel: 0800 222 666 Website: www.canon.co.nz



© Canon Australia 2016